

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Oct 2022

Print date: 27 Feb 2023

Version: 1.11



Page 1/13

## Kyrol TC

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

Kyrol TC

UFI:

H6J0-D0TK-W004-4JN1

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Desinfektionsmittel

Relevant identified uses:

Product Categories [PC]

PC 8: Biocidal product

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

**KyroChem GmbH**

Schaumburger Straße 11

30900 Wedemark

Germany

Telephone: +49 (0) 5130-375043

Telefax: +49 (0) 5130-376548

E-mail: [kyrochem@kyrochem.de](mailto:kyrochem@kyrochem.de)

Website: [www.kyrochem.de](http://www.kyrochem.de)

E-mail (competent person): [kyrochem@kyrochem.de](mailto:kyrochem@kyrochem.de)

#### 1.4. Emergency telephone number

National Poisons Information Service Edinburgh, 24h: + 44 (0) 344 892 0111

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals ( <i>Met. Corr. 1</i> )	H290: May be corrosive to metals.	
Acute toxicity (dermal) ( <i>Acute Tox. 4</i> )	H312: Harmful in contact with skin.	
Skin corrosion/irritation ( <i>Skin Corr. 1</i> )	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation ( <i>Eye Dam. 1</i> )	H318: Causes serious eye damage.	
Hazardous to the aquatic environment ( <i>Aquatic Acute 1</i> )	H400: Very toxic to aquatic life.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 2</i> )	H411: Toxic to aquatic life with long lasting effects.	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Oct 2022

Print date: 27 Feb 2023

Version: 1.11



Page 2/13

## Kyrol TC

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



**GHS05**  
Corrosion



**GHS07**  
Exclamation mark



**GHS09**  
Environment

Signal word: Danger

#### Hazard statements for physical hazards

H290	May be corrosive to metals.
------	-----------------------------

#### Hazard statements for health hazards

H312	Harmful in contact with skin.
------	-------------------------------

H314	Causes severe skin burns and eye damage.
------	--

#### Hazard statements for environmental hazards

H400	Very toxic to aquatic life.
------	-----------------------------

H411	Toxic to aquatic life with long lasting effects.
------	--

#### Supplemental hazard information

EUH031	Contact with acids liberates toxic gas.
--------	---

#### Precautionary statements Prevention

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
------	--

P273	Avoid release to the environment.
------	-----------------------------------

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/....
------	---

#### Precautionary statements Response

P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
--------------------	--

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
--------------------	--

P310	Immediately call a POISON CENTER/doctor/....
------	--

### 2.3. Other hazards

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Oct 2022

Print date: 27 Feb 2023

Version: 1.11



Page 3/13

## Kyrol TC

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 7681-52-9 EC No.: 231-668-3 Index No.: 017-011-00-1	<b>sodium hypochlorite, solution ... % Cl active</b> Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1B (H314) Danger EUH031 M-factor (acute): 10 M-factor (chronic): 1 <b>Specific concentration limit (SCL)</b> C ≥ 5%	14 - ≤ 24 weight-%
CAS No.: 7758-19-2 EC No.: 231-836-6 REACH No.: 01-2119529240-51	<b>sodium chlorite</b> Acute Tox. 2 (H310), Acute Tox. 3 (H301), Aquatic Acute 1 (H400), Aquatic Chronic 3 (H412), Ox. Sol. 1 (H271), STOT RE 2 (H373), Skin Corr. 1B (H314) Danger M-factor (acute): 1	5 - ≤ 9 weight-%

Full text of H- and EUH-phrases: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

##### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

##### In case of skin contact:

Get medical advice/attention. Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

##### After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

##### Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell. Get immediate medical advice/attention. Let 1 glass of water be drunken in little sips (dilution effect). Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting.

##### Self-protection of the first aider:

Use personal protection equipment. Avoid contact with skin, eyes and clothes. No direct artificial respiration to be given by first aider.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media:

The product is not: Combustible.; Suitable extinguishing media:Water spray jet

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 12 Oct 2022

**Print date:** 27 Feb 2023

**Version:** 1.11



Page 4/13

## Kyrol TC

### Unsuitable extinguishing media:

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Risk of bursting . Oxidizing by administration of oxygen .

### Hazardous combustion products:

In case of fire: Gases/vapours, toxic Chlorine compounds

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Remove persons to safety. Provide fresh air.

##### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Use water spray jet to minimise or disperse vapours.

#### For cleaning up:

Water Water (with cleaning agent)

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

#### Advices on safe handling:

Wear personal protection equipment (refer to section 8). Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

#### Fire prevent measures:

Co-ordinate fire-fighting measures to the fire surroundings.

#### Measures to prevent aerosol and dust generation:

Keep container tightly closed.

#### Environmental precautions:

Do not allow to enter into surface water or drains.

#### Advices on general occupational hygiene

Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Oct 2022

Print date: 27 Feb 2023

Version: 1.11



Page 5/13

## Kyrol TC

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

#### Packaging materials:

Keep/Store only in original container.

#### Requirements for storage rooms and vessels:

Keep/Store only in original container.

#### Hints on storage assembly:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Protect from sunlight.

**Storage class (TRGS 510, Germany):** 8B - Non-combustible corrosive substances

### 7.3. Specific end use(s)

#### Recommendation:

Read label before use.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
WEL (GB)	<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	② 2 mg/m <sup>3</sup>
NPEL (SK)	<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	① 2 mg/m <sup>3</sup>

#### 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3	1.55 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3	1.55 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3	3.1 mg/m <sup>3</sup>	① DNEL worker ② Acute - inhalation, systemic effects
<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3	1.55 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects
<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3	1.55 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, local effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Oct 2022

Print date: 27 Feb 2023

Version: 1.11



Page 6/13

## Kyrol TC

Substance name	DNEL value	① DNEL type ② Exposure route
<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3	3.1 mg/m <sup>3</sup>	① DNEL worker ② Acute - inhalation, local effects
<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3	0.26 mg/kg	① DNEL worker ② Long-term - oral, systemic effects
<b>sodium chlorite</b> CAS No.: 7758-19-2 EC No.: 231-836-6	0.41 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>sodium chlorite</b> CAS No.: 7758-19-2 EC No.: 231-836-6	0.41 mg/m <sup>3</sup>	① DNEL worker ② Acute - inhalation, systemic effects
<b>sodium chlorite</b> CAS No.: 7758-19-2 EC No.: 231-836-6	0.58 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>sodium chlorite</b> CAS No.: 7758-19-2 EC No.: 231-836-6	0.58 mg/kg bw/day	① DNEL worker ② Acute - dermal, systemic effects
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	2.1 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	5.7 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	1 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	2.5 mg/m <sup>3</sup>	① DNEL Consumer ② Acute - inhalation, local effects
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	2.3 mg/kg bw/day	① DNEL worker ② Long-term - oral, systemic effects

Substance name	PNEC Value	① PNEC type
<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3	0.21 mg/L	① PNEC aquatic, freshwater
<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3	0.042 mg/L	① PNEC aquatic, marine water
<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3	0.03 mg/L	① PNEC sewage treatment plant
<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3	0.26 mg/L	① PNEC aquatic, intermittent release
<b>sodium chlorite</b> CAS No.: 7758-19-2 EC No.: 231-836-6	0.65 µg/L	① PNEC aquatic, freshwater
<b>sodium chlorite</b> CAS No.: 7758-19-2 EC No.: 231-836-6	0.065 µg/L	① PNEC aquatic, marine water

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Oct 2022

Print date: 27 Feb 2023

Version: 1.11



Page 7/13

## Kyrol TC

Substance name	PNEC Value	① PNEC type
<b>sodium chlorite</b> CAS No.: 7758-19-2 EC No.: 231-836-6	1 mg/L	① PNEC sewage treatment plant
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	6.4 mg/L	① PNEC aquatic, freshwater
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	0.64 mg/L	① PNEC aquatic, marine water
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	51 mg/L	① PNEC sewage treatment plant
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	2.3 mg/kg	① PNEC sediment, marine water
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	0.853 mg/kg	① PNEC soil
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	3.1 mg/L	① PNEC aquatic, intermittent release
<b>sodium hydroxide</b> CAS No.: 1310-73-2 EC No.: 215-185-5	23 mg/kg	① PNEC soil, freshwater

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No data available

### 8.2.2. Personal protection equipment

#### Eye/face protection:

Eye glasses with side protection EN 166

#### Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber); PVC (polyvinyl chloride); Butyl caoutchouc (butyl rubber) Breakthrough time: 480 min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

#### Respiratory protection:

Usually no personal respirative protection necessary. Wear breathing apparatus if exposed to vapours/ dusts/aerosols. Filter type: ABEK1, B-P3

#### Other protection measures:

Wear protective gloves/protective clothing and eye/face protection.

### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** not determined

**Odour:** not determined

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	> 11		
Melting point	-20 - -30 °C		

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Oct 2022

Print date: 27 Feb 2023

Version: 1.11



Page 8/13

## Kyrol TC

Parameter	Value	at °C	① Method ② Remark
Freezing point	<i>not determined</i>		
Initial boiling point and boiling range	100 °C		
Decomposition temperature	<i>not determined</i>		
Flash point	<i>not applicable</i>		
Evaporation rate	<i>not determined</i>		
Auto-ignition temperature	<i>not applicable</i>		
Upper/lower flammability or explosive limits	<i>not applicable</i>		
Vapour pressure	20 hPa	20 °C	
Vapour density	<i>not determined</i>		
Density	1.2 g/cm <sup>3</sup>	20 °C	
Relative density	<i>not determined</i>		
Bulk density	<i>not determined</i>		
Water solubility	completely miscible		
Partition coefficient: n-octanol/water	<i>not determined</i>		
Dynamic viscosity	<i>not determined</i>		
Kinematic viscosity	<i>not determined</i>		

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Contact with acids liberates toxic gas. May be corrosive to metals.

### 10.2. Chemical stability

Stable under specified storage conditions. See section 7 of the safety data sheet.

### 10.3. Possibility of hazardous reactions

May be corrosive to metals. Reacts in contact with acids to release chlorine dioxide.  
Risk of bursting . Reacts with: Combustible substances, Oxidizing agent, Reducing agent.

### 10.4. Conditions to avoid

Avoid high temperatures or direct sunlight.

### 10.5. Incompatible materials

Acids; Reducing agent; Combustible substances, Metals and metal salts.

### 10.6. Hazardous decomposition products

Chlorine; Chlorine dioxide (ClO<sub>2</sub>), Oxygen.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3
<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (rat)
<b>LD<sub>50</sub> dermal:</b> >5,000 mg/kg (rabbit)
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> >10.5 mg/L 1 h (rat) OECD Guideline 403 (Acute Inhalation Toxicity)
<b>sodium chlorite</b> CAS No.: 7758-19-2 EC No.: 231-836-6
<b>LD<sub>50</sub> oral:</b> =284 mg/kg (Ratte)
<b>LD<sub>50</sub> dermal:</b> =134 mg/kg (Kaninchen)

### Acute oral toxicity:

Based on available data, the classification criteria are not met.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 12 Oct 2022

**Print date:** 27 Feb 2023

**Version:** 1.11



Page 9/13

## Kyrol TC

### Acute dermal toxicity:

Harmful in contact with skin.

### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation:

Causes severe skin burns and eye damage. Causes severe skin burns and eye damage.

### Serious eye damage/irritation:

Causes serious eye damage. Causes serious eye damage.

### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

### Carcinogenicity:

Based on available data, the classification criteria are not met.

### Reproductive toxicity:

Based on available data, the classification criteria are not met.

### STOT-single exposure:

Based on available data, the classification criteria are not met.

### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### Aspiration hazard:

Based on available data, the classification criteria are not met.

### Additional information:

No data available

## 11.2. Information on other hazards

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3
<b>LC<sub>50</sub>:</b> 0.032 - 10 mg/L 4 d (fish)
<b>LC<sub>50</sub>:</b> 0.032 - 56.4 mg/L 2 d (crustaceans)
<b>EC<sub>50</sub>:</b> 0.04 - 2.3 mg/L 2 d (crustaceans)
<b>EC<sub>50</sub>:</b> 46 mg/L 4 d (Algae/water plant)
<b>EC<sub>50</sub>:</b> 0.018 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))
<b>EC<sub>50</sub>:</b> 0.1 - 0.4 mg/L 4 d (Algae/water plant, Myriophyllum spicatum (eurasian watermilfoil))
<b>EC<sub>50</sub>:</b> 0.035 mg/L 2 d (crustaceans, Ceriodaphnia dubia)
<b>NOEC:</b> 0.005 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))
<b>NOEC:</b> 0.02 mg/L 4 d (Algae/water plant, Myriophyllum spicatum (eurasian watermilfoil))
<b>NOEC:</b> 0.025 mg/L 2 d (crustaceans, Ceriodaphnia dubia)
<b>LOEC:</b> 0.005 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))
<b>sodium chlorite</b> CAS No.: 7758-19-2 EC No.: 231-836-6
<b>LC<sub>50</sub>:</b> >75 - <360 mg/L 4 d (fish)
<b>EC<sub>50</sub>:</b> >0.1 - <1.4 mg/L 2 d (crustaceans)
<b>EC<sub>50</sub>:</b> >0.904 - <5.43 mg/L 3 d (Algae/water plant)
<b>LC<sub>50</sub>:</b> 105 mg/L 4 d
<b>EC<sub>50</sub>:</b> <1 mg/L 2 d (Daphnia magna)

### Aquatic toxicity:

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Oct 2022

Print date: 27 Feb 2023

Version: 1.11



Page 10/13

## Kyrol TC

### 12.2. Persistence and degradability

**sodium hypochlorite, solution ... % Cl active** CAS No.: 7681-52-9 EC No.: 231-668-3

**Biodegradation:** not applicable

### 12.3. Bioaccumulative potential

**sodium hypochlorite, solution ... % Cl active** CAS No.: 7681-52-9 EC No.: 231-668-3

**Log K<sub>OW</sub>:** 3.42

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

**sodium hypochlorite, solution ... % Cl active** CAS No.: 7681-52-9 EC No.: 231-668-3

**Results of PBT and vPvB assessment:** This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

**sodium chlorite** CAS No.: 7758-19-2 EC No.: 231-836-6

**Results of PBT and vPvB assessment:** This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

#### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

06 13 01 \* | inorganic plant protection products, wood-preserving agents and other biocides

18 01 06 \* | Chemicals consisting of or containing hazardous substances

\*: Evidence for disposal must be provided.

##### Remark:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

The EWC waste codes are not product-related but origin-related. The manufacturer can therefore not specify a waste code for products that are used in different industries.

The keys listed are to be understood as recommendations for the user.

##### Waste code packaging

15 01 10 \* | packaging containing residues of or contaminated by dangerous substances

\*: Evidence for disposal must be provided.

##### Remark:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

The EWC waste codes are not product-related but origin-related. The manufacturer can therefore not specify a waste code for products that are used in different industries.

The keys listed are to be understood as recommendations for the user.

### Waste treatment options

#### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

#### Appropriate disposal / Package:

Consult the appropriate local waste disposal expert about waste disposal.

#### Other disposal recommendations:

Completely emptied packages can be recycled.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Oct 2022

Print date: 27 Feb 2023








Version: 1.11



Page 11/13

## Kyrol TC

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
UN 3266	UN 3266	UN 3266	UN 3266
<b>14.2. UN proper shipping name</b>			
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hypochlorite, solution ... % Cl active, sodium chlorite)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hypochlorite, solution ... % Cl active, sodium chlorite)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hypochlorite, solution ... % Cl active, sodium chlorite)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hypochlorite, solution ... % Cl active, sodium chlorite)
<b>14.3. Transport hazard class(es)</b>			
 8	 8	 8	 8
<b>14.4. Packing group</b>			
II	II	II	II
<b>14.5. Environmental hazards</b>			
		 MARINE POLLUTANT	No
<b>14.6. Special precautions for user</b>			
<b>Special Provisions:</b> 274 <b>Limited quantity (LQ):</b> 1 L <b>Excepted Quantities (EQ):</b> E2 <b>Hazard identification number (Kemler No.):</b> 80 <b>Classification code:</b> C5 <b>Tunnel restriction code:</b> (E)	<b>Special Provisions:</b> 274 <b>Limited quantity (LQ):</b> 1 L <b>Excepted Quantities (EQ):</b> E2 <b>Classification code:</b> C5	<b>Special Provisions:</b> 274 <b>Limited quantity (LQ):</b> 1 L <b>Excepted Quantities (EQ):</b> E2 <b>EmS-No.:</b> F-A, S-B	<b>Special Provisions:</b> A3 <b>Limited quantity (LQ):</b> Y840 <b>Excepted Quantities (EQ):</b> E2

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU legislation

###### Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive], Hazard categories:

- E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1
- E2 Hazardous to the Aquatic Environment in Category Chronic 2

Quantity threshold (in tonnes) for application in lower tier establishments 100 t

Quantity threshold (in tonnes) for application in upper-tier establishments 200 t

Does not contain a REACH candidate substance.

Does not contain a substance listed in REACH Annex XIV.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 12 Oct 2022

Print date: 27 Feb 2023

Version: 1.11



Page 12/13

## Kyrol TC

### 15.1.2. National regulations

#### [DE] National regulations

##### Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Observe employment prohibitions for the protection of young people at work according to § 22 para. 1 (6) JArbSchG.

Observe employment prohibitions and restrictions according to § 4 and § 5 MuSchArbV.

##### Störfallverordnung (12. BImSchV)

###### for substances contained in the product:

Hazard categories:

- E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1
- E2 Hazardous to the Aquatic Environment in Category Chronic 2

Major Accidents Ordinance (12. BImSchV) Annex 1, List of Substances No. 1.3.1

Quantity 1: 100 t

Quantity 2: 200 t

###### for substances possibly developing during an incident:

Hazard categories:

- E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1
- E2 Hazardous to the Aquatic Environment in Category Chronic 2

##### Water hazard class

###### WGK:

2 - deutlich wassergefährdend

### 15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1. Indication of changes

No data available

### 16.2. Abbreviations and acronyms

No data available

### 16.3. Key literature references and sources for data

Substance name	Type	source of supply
<b>sodium chlorite</b> CAS No.: 7758-19-2 EC No.: 231-836-6	Classification of the substance or mixture	Source: European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
<b>sodium hypochlorite, solution ... % Cl active</b> CAS No.: 7681-52-9 EC No.: 231-668-3	LC <sub>50</sub> Acute inhalation toxicity (vapour); EC <sub>50</sub> ; NOEC; LOEC	Source: European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals ( <i>Met. Corr. 1</i> )	H290: May be corrosive to metals.	
Acute toxicity (dermal) ( <i>Acute Tox. 4</i> )	H312: Harmful in contact with skin.	
Skin corrosion/irritation ( <i>Skin Corr. 1</i> )	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation ( <i>Eye Dam. 1</i> )	H318: Causes serious eye damage.	
Hazardous to the aquatic environment ( <i>Aquatic Acute 1</i> )	H400: Very toxic to aquatic life.	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 12 Oct 2022

**Print date:** 27 Feb 2023

**Version:** 1.11



Page 13/13

## Kyrol TC

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment ( <i>Aquatic Chronic 2</i> )	H411: Toxic to aquatic life with long lasting effects.	

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H271	May cause fire or explosion; strong oxidiser.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information	
EUH031	Contact with acids liberates toxic gas.

### 16.6. Training advice

No data available

### 16.7. Additional information

No data available